

《111 學年秀岡校區防疫通報》(第 1 號)

致全校師生同仁及家長：

依據教育部《111 學年度第一學期各級學校開學防疫措施》以及《高級中等以下學校及幼兒園因應嚴重特殊傳染性肺炎防疫管理指引》，防疫規定如下說明，請教職員工、同學及家長配合：

一、防疫措施說明總表 (2022.08.25)

身分別	確診者	密切接觸者	入境者
說明	教職員工生本人 ＝確診者	第一類：教職員工生的同住親友＝確診者 第二類：學生的同寢室友＝確診者	從國外返台者
政府 隔離 指引	居家隔離期共 7 日 且不得外出	1、已打滿三劑疫苗（0+7 制）：免居家隔離 7 天內（自主防疫期）快篩陰性再外出 2、未打滿三劑疫苗（3+4 制）： 前三天（居家隔離期）不得外出 後四天（自主防疫期）快篩陰性再外出	前三天居家檢疫 後四天自主防疫
返校前	免快篩	須快篩	
備註	依教育部（局）指引，居家隔離（檢疫）以及自主防疫期間共計 7 日「暫緩」入校，由學校提供線上課程，並由導師邀請家長成立 LINE 關懷群組，以提供諮詢與指引。		
依據	教育部《高級中等以下學校及幼兒園因應嚴重特殊傳染性肺炎防疫管理指引》（111 年 06 月 14 日修正）		

二、班級確診因應方式 (2022.08.25)

階段別	教育部舊制	教育部新制
日期起訖	自 8 月 30 日至 9 月 11 日	9 月 12 日以後
班級確診因應	依據接觸程度評估是否暫停全班實體課程	實體課程照常實施
返校要求	全班實施快篩，屬於陽性者居家隔離；屬於陰性者維持實體課程	
備註	暫停實體課程實施方式，將依新北市政府最新指引，隨時滾動修正檢討。	
依據	教育部《111 學年度第一學期各級學校開學防疫措施》(111 年 08 月 22 日公告)	

三、學生防疫請假說明 (2022.08.25)

假別	適用狀況
防疫病假	確診者 (學生本人快篩陽性)；須提供快篩陽性照片或是相關證明作為依據
防疫事假	第一類：密切接觸者 (學生的家庭成員/ 同寢室友確診，而學生本人並未確診) 第二類：對國內疫情有疑慮時 第三類：從國外入境

四、校內防疫措施說明

（一）口罩佩戴政策

- 1、搭乘校車時，所有師生應全程配戴口罩，敬請師生盡量避免在車上用餐。
- 2、所有師生應整天配戴口罩（例外情況：運動、拍照、致詞以及用餐）
- 3、請勿一邊步行一邊飲食，以免拿掉口罩與他人接觸而有感染風險。

（二）用餐方式：

- 1、採取「分流用餐暨梅花座」模式，部分班級至餐廳用餐、部分班級維持教室用餐。
 - （1）在餐廳用餐班級，每周更換梯次（第一梯 1200-1230；第二梯 1230-1255）
 - （2）在教室用餐班級，每日固定於 12 點 15 分以後至餐廳取餐。
- 2、不論是餐廳或教室用餐，師生應全程使用隔板。
- 3、請師生自行準備個人餐具以及隔板，用餐採取刷卡取餐，提醒師生每日應攜帶證件。
- 4、進入餐廳前，應使用酒精乾洗手；離開餐桌或餐廳時，須隨時戴好口罩。

（三）新北市政策：請師生配合並落實三級防護、健康五原則

- 1、第一級：上學前請師生先量好體溫。
- 2、第二級：入校時由專責人員量測每位師生體溫。
- 3、第三級：請師生注意個人健康，如身體不適將進行評估，必要時應離校就醫。
- 4、健康五原則：量體溫、勤洗手、正確配戴口罩、保持教室通風、生病不上課。

（四）訪客入校須提供兩劑疫苗或兩日內快篩陰性等證明；開學起仍暫緩校友入校申請。

（五）週會將規劃單一年級出席，並拉大座位間隔。

（六）全校空間及教學設備於開學前實施清潔消毒；開學後也會實施定期清消。

（七）鼓勵全校教職員工及同學，凡符合資格或經醫師評估適合者，建議儘速施打 covid-19 疫苗。

（八）本校防疫措施諮詢專線：8195-2015（生輔組簡組長）、8195-2133（生輔組劉副組長）

（九）呼籲教職員工及同學「生病不上課（班）」，如身體不適請儘速就醫。

秀岡校區防疫小組關心您

2022 年 8 月 25 日

《Xiugang Campus Epidemic Prevention Policy Announcement》(NO.1)

Dear KCIS faculty, parents, and students:

The Kang Chiao Epidemic Prevention Committee has announced the update safety measures and policies in response to the latest Covid-19 updates. Please comply with the following safety measures:

I. Governmental measures (2022.08.25)

	Confirmed cases	Close contacts	inbound passengers
Definitions	rapid screening positive	Confirmed case in students' family (roommates)	Passengers arriving in Taiwan
Guidelines	home isolation 7days	7 days home isolation & self-quarantine (0+7) fully vaccinated (three doses of vaccine) (3+4) unvaccinated, double-vaccinated	3 days-home quarantine 4 days-self-quarantine
Condition	Free of rapid screening before back to school	Rapid screening negative before back to school	
Note	Those who are confirmed cases, have close contacts who are positive, & inbound passengers cannot enter school within 7 days		
Regulations	The measures are in accordance with MOE guidelines (2022.06.14.)		

II Instructions for confirmed case in class (2022.08.25.)

Stage	MOE current measures	MOE New measures
Period	From 30 th August to 11 th September	After 12 th September
Instructions	Suspension of class	No suspension of class
Condition	rapid screening negative before back to school	
Note	The suspension measures will follow the guidelines of the government	
Regulations	The measures are in accordance with MOE guidelines (2022.08.22.)	

III Types of student leave for Epidemic Prevention

Pandemic sick leave	Confirmed cases with proof
Pandemic personal leave	Confirmed case in students' family (or school roommates) Inbound passengers

IV. Epidemic Prevention measures on campus

i. Mask policy

- 1 On the school bus, staff & students must wear masks and avoid eating & drinking.
- 2 All staff & students should wear masks on campus all day
(except for when exercising, lunch, speeches, group photographs)
- 3 All staff & students should not eat & drink when walking.

ii. Lunch policy :

- 1 Some classes will eat in the cafeteria and some in homerooms.
(1) The classes in cafeteria: first batch 12:00-12:30, second batch 12:30-12:55.
(2) The classes in homerooms: take meals at 12:15.
- 2 All staff & students should prepare partitions, cutlery and ID cards.
- 3 When entering the cafeteria, all staff & students need to use hand sanitizer.

iii New Taipei City Policy

- 1 The first level : Taking body temperature before going to school.
- 2 The second level : Taking body temperature when entering school.
- 3 The third level : Monitoring health all day.
- 4 The five principles : Taking body temperature, washing hands 、wearing masks 、
Keeping the classroom ventilated, staying home when sick

iv All visitors need prepare double-vaccinated or have proof rapid screening is negative.

v. The assemblies will be arranged by grade

vi. All classrooms and equipment will be cleaned & disinfected.

vii We encourage all staff & students to get vaccinated.

viii Advisory service : 8195-2015 (Mr. Jian) 、 8195-2133 (Mr. Liu)

ix We urge that staff & students should stay home when they are sick

Kang Chiao International School Xiugang Campus Epidemic Team
2022.08.25

Maintain proper indoor ventilation



Wash hands with soap

- Before eating
- After going to the toilet
- Before and after seeing a doctor



Maintain good hygiene and good habit, work happily and live healthily

Fulfill respiratory tract hygiene

- Cover mouth and nose when cough or sneeze



Stay home when you are sick



英文
衛生福利部疾病管制署
TAIWAN CDC

衛生福利部疾病管制署
TAIWAN CDC

Navigating through COVID-19

Outdoor living

Keep your hands clean by washing regularly
Bring alcohol-based hand sanitizer

1 meter outdoors
1.5 meters indoors

Maintain social distancing
The deeper the love, the farther the distance.

For outings, choose open spaces with little traffic.

Wear a mask when you take public transport or when you cannot maintain a distance from others.

Take traffic control advice. Don't go to crowded places.

中央流行疫情指揮中心
Central Epidemic Command Center

財團法人歐巴尼紀念基金會
Taiwan Urbani Foundation
Translated by Taiwan Urbani Foundation

What You Need to Know To Prevent COVID-19



Get vaccinated



Wash your hands
frequently with soap



Wear a mask



Social distancing



Stay at home when
showing symptoms



Exercise to strengthen
your immune system



A healthy and balanced
diet



Smiling can boost
your immune system
as well!

Here are 8 tips for preventing COVID-19



What should I do if my rapid test is positive?

From May 12

Home isolation

**Self-initiated
epidemic
prevention**



**Home
quarantine**



**The result can be confirmed
by a doctor through
telemedicine or video
consultations for further
assessment and reporting**

If a consensus can't be reached or doubts arise with respect to the positive test result, the local health department can be informed for a PCR test to be arranged

Others

Put on a mask and seek PCR testing in a community testing location or follow the relevant procedure for seeking medical attention according to the local health department's instructions. When seeking PCR testing or medical attention, the positive rapid test must be sealed, and using public transport is prohibited; reaching the testing location by driving or riding themselves, on foot, or by getting a ride from family and friends (both parties keeping their masks on at all times) is allowed.

815起最新防疫隔離規定

入境者

3+4

居家檢疫
3天

- 落地採集深喉唾液檢體PCR
- 向2歲以上旅客發放2劑快篩
- 可由親友或機關團體車輛接送

自主防疫
4天

- 外出需2日內快篩陰性、全程戴口罩
- 避免至人潮擁擠處
- 商務履約得上班、與特定對象共餐
- 移工漁工及學生不得到校上課工作

密切接觸者

0+7

完成3劑

居家隔離
0天

- 打滿3劑同住家人免居隔
- 5月底國高中生接種完3劑即適用

自主防疫
7天

- 快篩陰性可外出上班、採買
- 禁至人潮擁擠處、外出聚餐

3+4

未完成3劑
完成3劑亦可選

居家隔離
3天

- 匡列時快篩
- 有症狀時快篩

自主防疫
4天

- 快篩陰性可外出上班、採買
- 禁至人潮擁擠處、外出聚餐

確診者

7+7

居家照護
7天

- 無症狀或症狀緩解，距發病或採檢日7天得解除隔離，無須採檢

自主健康管理
7天

- 無須快篩即可外出
- 禁至人潮擁擠處、外出聚餐

自4/26起

居家隔離天數為3+4天

其中自主防疫之4天

教職員工生

以不到校為原則

▶ 不到校期間，以彈性措施進行遠距教學等



2022/04/26製圖

我屬於哪類對象 該怎麼做？

確診者 (7+7)	7天 居家照護	● 輕症/無症狀，且符合居家照護健康及環境需求條件 ● 無症狀或症狀緩解，且距發病日或採檢日滿7天，得解除隔離，無須採檢，解隔後進入自主健康管理
	7天 自主健康管理	● 已結束居家照護及居家檢疫者 ● 無須快篩就可以外出，禁止前往人潮擁擠、餐廳內用、聚餐及聚會等活動
入境者 (7+7)	7天 居家檢疫	● 所有自外國入境者 ● 入境時進行採檢，於7天期滿且期滿當日快篩陰性，進入自主健康管理
	3天 居家隔離	● 同住親友及住宿同寢室友 ● 自最後接觸(第0天)隔日起算居家隔離3天，收到接觸者匡列時進行快篩，結束後進入自主防疫
密切接觸者 (3+4)	4天 自主防疫	● 已結束居家隔離者或被匡列時已逾隔離期間但仍在自主防疫期間者 ● 快篩陰性可外出(必要時)；學生須於自主防疫期滿次日快篩陰性方可上學 ● 禁止前往人潮擁擠、餐廳內用、聚餐及聚會等活動
	自我健康監測	● 密切接觸者之接觸者，若密切接觸者篩檢陰性後，可解除監測 ● 確診者同場域工作者(高風險-24小時內，無適當防護接觸>15分鐘)，無症狀且接種3劑疫苗滿14天者，健康監測至最後接觸日滿7日 ● 避免前往人潮擁擠、餐廳內用、聚餐及聚會等活動
其他民衆	自主應變對象	● 確診者之同班同學、同場域工作者 ● 依「企業因應嚴重特殊傳染性肺炎(COVID-19)疫情持續營運指引」，採自主應變措施，含依感染風險程度實施防疫假、停課等

註：上述相關規定將依疫情狀況調整

2022/05/09

中央流行疫情指揮中心

正確佩戴口罩 防疫不NG!

口罩要每天替換，若有異味、髒污、潮濕、破損時要立即更換!



! 常見NG方式



X 使用超過1天



X 反戴口罩



X 清洗
醫用口罩



X 只遮住嘴巴、
露出鼻子

2022/08/11

中央流行疫情指揮中心

使用家用快篩試劑，你都做對了嗎?


1. 詳閱說明書依步驟操作

2. 操作前確認是否過期

3. 如使用採檢刷採樣深度要夠，兩鼻腔都要深至2~2.5公分

4. 依照說明書指示時間再確認結果

5. 如結果未出現C線(控制線)為無效



! 如果快篩結果呈現陽性...

將檢測卡匣標註檢測者姓名及檢測日期，
與健保卡放在一起拍照，並透過視訊診療，
由醫生進行診斷。



2022/08/19

中央流行疫情指揮中心

疫情變化多 落實防疫護安康

◆依指揮中心建議施打疫苗，**未完整接種者請儘速接種**。



◆**確實遵守現行防疫規定**：平時落實戴**口罩、勤洗手**；一旦確診、或需居家檢疫與居家隔離時，請**配合隔離及檢疫措施**。

◆**保護高齡、幼兒、重大疾病病人等脆弱族群**，時時關心其健康，避免有症狀或有暴露史的家人朋友接近，**一有疑似症狀儘速快篩或就醫**。



◆**適當準備防疫物資**，包括**口罩、快篩試劑**。

中央流行疫情指揮中心

2022/08/10

三級防護措施

新北宮
Swire
學Bar

第1級

請家長上學前先幫孩子量好體溫，**生病不上學**。



第2級

入校時再次量測體溫。



第3級

隨時主動關懷學生健康情形。



健康5原則

新北宮
Swire
學Bar



1 量體溫



2 勤洗手



3 正確配戴口罩




4 保持教室通風




5 生病不到校

快篩陽性怎麼辦？



①經醫師診斷確診 ②評估開立藥物



註

1. 於診所實體看診時可以再次執行快篩取代PCR採檢，確認快篩陽性後進行通報及評估開藥等事宜
2. 若就醫院所為藥物配賦點，可逕行領藥；若非藥物配賦點可持釋出處方箋至配賦點領藥

2022/08/17

中央流行疫情指揮中心

Q 曾確診且已康復解隔個案，再次接觸確診個案是否須匡列為接觸者？

★ 曾確診個案，**距當次確診發病日**(無症狀者，以確診採檢日計算)**後3個月內**，再次接觸到確診個案，如於暴露後無症狀或未出現COVID-19相關症狀，**無須匡列為接觸者**


★ 曾確診個案，再次接觸到確診個案，如於暴露後出現COVID-19相關症狀，**且經研判非其他病因所致**，則建議進行快篩或PCR採檢，如檢驗為陰性，則**無須匡列為接觸者**

2022/05/19

中央流行疫情指揮中心

生病不上班不上課

事由：身體不舒服，在家休息必免傳染給別人



註

保持室內通風

有呼吸道症狀
戴口罩就醫

多喝水、多休息
才能好得快



衛生福利部疾病管制署 廣告
TAIWAN CDC